

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12080	compound near2 (optical or eye)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:00
L2	425	1 with (camera or image)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:00
L3	1	1 near9 (attach\$5 or held or hold\$3 or secur\$3) near4 (user or cloth\$3 or badge or button or card or jewelry)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:03
L4	5	2 and ((attach\$5 or held or hold\$3 or secur\$3) near4 (user or cloth\$3 or badge or button or card or jewelry))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:11
L5	4	4 and (transmit\$4 or transmission or radio or RF or wireless)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:12
L6	0	4 and (cloth\$3 or jewelry or pedant or watch)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:12
L7	21404	(wide or '120' or '160' or '180') near3 (angle or degree) same (camera or CCD or image)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:11
L8	639	7 and ((attach\$5 or held or hold\$3 or secur\$3) near4 (user or cloth\$3 or badge or button or card or jewelry))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:11
L9	97	8 and (cloth\$3 or jewelry or pedant or watch)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:12
L10	75	9 and (transmit\$4 or transmission or radio or RF or wireless)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:40
L11	0	1 and 10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:40
L12	11	10 and ((CMOS or CCD) near2 (image or camera or sens\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:50
L13	60	(10 or 4) and ((optical near2 elements) or lenses)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:51
L14	23084	(optical near2 axis) near4 (tilt or inclin\$3 or angle)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 11:52

L15	12	(4 or 10) and 14	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 12:37
L16	39	(4 or 10) and receiver and control\$4	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 12:36
L17	201344	(tak\$3 or captur\$3 or imag\$3 or facing) near3 (object or surround\$3 or adjacent)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 12:37
L18	46	(4 or 10) and 17	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/26 12:37

US 6278480 B1	Compound eye came 348/59	396/20; 396/324; 396/326; 396/3
US 20040119821 A	Image-taking apparatus for use in monitoring system e.g. CRT dis	
US 6370422 B1	Fiber-optic confocal ir 600/478	600/182; 606/10
US 5990990 A	Three-dimensional di 349/74	345/6; 349/77; 349/83; 359/316;

L5

US 6061064 A	System and method f	345/418	345/8
US 6040946 A	Color superposition a	359/630	353/30; 353/7; 359/464; 359/466
US 6031545 A	Vision system for view	345/632	
US 6008939 A	Method of color corre	359/475	345/8; 359/13; 359/482; 359/559
US 6005482 A	Surface mounted info	340/568.8	235/375; 340/10.6; 340/568.2; 34
US 5953546 A	Camera	396/272	396/386; 396/429
US 5926318 A	Biocular viewing syste	359/618	345/8; 348/53; 359/464; 359/630
US 5774096 A	Head mounted displa	345/8	340/980; 359/630
US 5762552 A	Interactive real-time n	463/25	463/17; 463/29; 463/42
US 5759044 A	Methods and apparat	434/307R	348/383; 434/365
US 5742521 A	Vision system for view	702/127	
US 5689799 A	Method and apparatu	455/2.01	
US 5664243 A	Camera	396/246	348/296; 348/333.02; 348/333.06
US 5646912 A	Medication complianc	368/10	221/15; 221/2; 221/3; 221/96
US 5619254 A	Compact teleconferer	348/14.16	348/14.08; 359/454; 359/460
US 5594498 A	Personal audio/video	348/158	348/143; 348/151; 348/375; 348/
US 5577981 A	Virtual reality exercis	482/4	434/247; 482/902; 73/379.01
US 5561484 A	Method and apparatu	396/60	396/207; 396/435; 396/436
US 5513130 A	Methods and apparat	703/2	
US 5457751 A	Ergonomic headset	381/375	348/115; 381/378; 381/381
US 5437210 A	Power drive cam ass	74/567	74/569; 74/570
US 5382064 A	Game drag	294/26	294/169
US 5255211 A	Methods and apparat	703/6	700/90
US 5241340 A	Electrophotographic r	355/27	396/30; 399/2
US 5027726 A	Automatic roll to roll q	112/117	112/470.04; 112/470.12; 112/475
US 4969410 A	Automatic roll to roll q	112/475.1	112/117; 112/475.08; 112/475.2
US 4876976 A	Automatic quilting ma	112/475.0	112/119; 112/470.04
US 4860675 A	Automatic quilting ma	112/119	112/470.06
US 4667190 A	Two axis fast access	345/568	
US 4645459 A	Computer generated	434/43	345/426; 345/427; 345/629; 434/
US 3887903 A	Interactive man-mach	700/132	
US 3704062 A	REAR VIEW OPTICA	359/633	359/861

L 10

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6563532 B1	Low attention recorder	348/158 348/373; 348/376
US 6115482 A	Voice-output reading	382/114 348/62; 382/103; 382/173
US 5793419 A	Personal audio/video	348/143 348/144; 348/153; 348/158; 348/
US 6731778 B1	Photographing appar	382/118 348/156; 382/115; 396/326; 705/
US 6641484 B2	Gaming machine incl	463/47
US 6226031 B1	Video communication	348/14.13 348/14.01
US 6144848 A	Handheld remote con	455/419 235/379; 235/380; 235/462.15; 2
US 5953546 A	Camera	396/272 396/386; 396/429
US 5664243 A	Camera	396/246 348/296; 348/333.02; 348/333.06
US 5594498 A	Personal audio/video	348/158 348/143; 348/151; 348/375; 348/

L12

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6577234 B1	Security system	340/540 340/541; 340/550; 455/573
US 6563532 B1	Low attention recording	348/158 348/373; 348/376
US 5844599 A	Voice-following video	348/14.1 348/169
US 5793419 A	Personal audio/video	348/143 348/144; 348/153; 348/158; 348/
US 6825829 B1	Adhesive backed display	345/107 359/296
US 6721713 B1	Business alliance identifier	705/1 709/223; 715/503
US 6647328 B2	Electrically controlled	701/36 701/2
US 6639578 B1	Flexible displays	345/107 204/606; 349/86; 359/296
US 6615166 B1	Prioritizing components	703/27 703/26; 709/220; 709/223; 709/2
US 6543052 B1	Internet shopping system	725/60 348/734; 725/110; 725/133
US 6536037 B1	Identification of redundancy	717/151 703/2; 709/231
US 6519571 B1	Dynamic customer profile	705/14
US 6473794 B1	System for establishing	709/223 709/224
US 6459418 B1	Displays combining a	345/107 345/87; 345/901; 349/187; 349/8
US 6396497 B1	Computer user interface	345/427
US 6363525 B1	Method and apparatus	725/34 709/217; 725/93
US 6353436 B1	Graphical user interface	345/427 345/419
US 6344846 B1	Optical retroreflective	345/166 345/156; 398/107; 398/118; 398/
US 6259565 B1	Display apparatus	359/630 248/917; 345/32; 345/7; 345/8; 3
US 6252564 B1	Tiled displays	345/1.3 345/107; 345/85
US 6243207 B1	Display apparatus	359/630 248/917; 345/32; 345/7; 345/8; 3
US 6144848 A	Handheld remote control	455/419 235/379; 235/380; 235/462.15; 2
US 6118426 A	Transducers and indicators	345/107 315/150; 324/96; 340/5.2; 340/8;
US 6061064 A	System and method for	345/418 345/8
US 6031545 A	Vision system for viewing	345/632
US 6005482 A	Surface mounted information	340/568.8 235/375; 340/10.6; 340/568.2; 34
US 5990990 A	Three-dimensional display	349/74 345/6; 349/77; 349/83; 359/316;
US 5762552 A	Interactive real-time network	463/25 463/17; 463/29; 463/42
US 5759044 A	Methods and apparatus	434/307R 348/383; 434/365
US 5742521 A	Vision system for viewing	702/127
US 5689799 A	Method and apparatus	455/2.01
US 5646912 A	Medication compliance	368/10 221/15; 221/2; 221/3; 221/96
US 5619254 A	Compact teleconferencing	348/14.16 348/14.08; 359/454; 359/460
US 5594498 A	Personal audio/video	348/158 348/143; 348/151; 348/375; 348/
US 5577981 A	Virtual reality exercises	482/4 434/247; 482/902; 73/379.01
US 5513130 A	Methods and apparatus	703/2
US 5457751 A	Ergonomic headset	381/375 348/115; 381/378; 381/381
US 5255211 A	Methods and apparatus	703/6 700/90

L16

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6563532 B1	Low attention recorder	348/158 348/373; 348/376
US 6278480 B1	Compound eye camera	348/59 396/20; 396/324; 396/326; 396/3
US 6181381 B1	Camera lens within pi	348/333.0 348/333.06; 348/376
US 5973915 A	Pivotable display for	361/681 345/905
US 20040119821 A	Image-taking apparatus for use in monitoring system e.g. CRT dis	
US 6731778 B1	Photographing appar	382/118 348/156; 382/115; 396/326; 705/
US 6721713 B1	Business alliance ide	705/1 709/223; 715/503
US 6641484 B2	Gaming machine incl	463/47
US 6615166 B1	Prioritizing componen	703/27 703/26; 709/220; 709/223; 709/2
US 6536037 B1	Identification of redun	717/151 703/2; 709/231
US 6519571 B1	Dynamic customer pr	705/14
US 6506445 B2	Image transfer sheets	427/146 156/230; 156/236; 156/239; 156/
US 6473794 B1	System for establishir	709/223 709/224
US 6396497 B1	Computer user interfa	345/427
US 6373640 B1	Optical systems for di	359/689 359/682; 359/691; 359/708; 359/
US 6370422 B1	Fiber-optic confocal ir	600/478 600/182; 606/10
US 6363525 B1	Method and apparatus	725/34 709/217; 725/93
US 6353436 B1	Graphical user interfa	345/427 345/419
US 6278482 B1	Method for imaging a	348/86 264/1.7; 264/1.9; 264/2.7; 348/12
US 6277229 B1	Image transfer sheets	156/230 156/234; 156/240; 156/247; 156/
US 6259565 B1	Display apparatus	359/630 248/917; 345/32; 345/7; 345/8; 3
US 6243207 B1	Display apparatus	359/630 248/917; 345/32; 345/7; 345/8; 3
US 6219186 B1	Compact biocular view	359/618 348/46; 348/53; 348/746; 348/75
US 6201546 B1	Systems and method	345/620 345/420; 345/427
US 6137528 A	Method for imaging a	348/86 348/125; 348/128; 348/94; 382/1
US 6061064 A	System and method f	345/418 345/8
US 6040946 A	Color superposition a	359/630 353/30; 353/7; 359/464; 359/466
US 6031545 A	Vision system for view	345/632
US 6008939 A	Method of color corre	359/475 345/8; 359/13; 359/482; 359/559
US 5990990 A	Three-dimensional di	349/74 345/6; 349/77; 349/83; 359/316;
US 5953546 A	Camera	396/272 396/386; 396/429
US 5926318 A	Biocular viewing syste	359/618 345/8; 348/53; 359/464; 359/630
US 5762552 A	Interactive real-time n	463/25 463/17; 463/29; 463/42
US 5759044 A	Methods and apparat	434/307R 348/383; 434/365
US 5742521 A	Vision system for view	702/127
US 5689799 A	Method and apparatus	455/2.01
US 5664243 A	Camera	396/246 348/296; 348/333.02; 348/333.06
US 5577981 A	Virtual reality exercise	482/4 434/247; 482/902; 73/379.01
US 5513130 A	Methods and apparat	703/2
US 5437210 A	Power drive cam ass	74/567 74/569; 74/570
US 5255211 A	Methods and apparat	703/6 700/90
US 5241340 A	Electrophotographic r	355/27 396/30; 399/2

L18

US 4667190 A  
US 4645459 A  
US 3704062 A

Two axis fast access 345/568  
Computer generated :434/43 345/426; 345/427; 345/629; 434/  
REAR VIEW OPTICA 359/633 359/861

L18